



PODRŽANI  
FORMATI  
za evotv korisnički uređaj

# Spisak podržanih video formata za SRT8526

Nastavak datoteke	Spremnik	Kompresija video formata	Kompresija audio formata	Razlučivost	Protok zapisa	Profil	Napomena
mpg, mpeg, dat	MPG, MPEG	MPEG1, 2	MP2,MP3,LPCM	1920x1080 @ 30P	20Mbit/sec	Main Profile	MP4: GMC nije podržan
ts, trp , tp, m2ts,m2t1	MPEG2-TS H264-TS	MPEG-2 ,H.264, AVS	MP2,MP3,AAC,HEAAC	1920x1080 @ 30P	20Mbit/sec	H264: Main Profile and High Profile @Level 4.0 MPEG2: Main Profile	
vob	MPEG2-PS	MPEG1, 2	MP2,MP3,LPCM	1920x1080 @ 30P	20Mbit/sec	Main Profile	
mp4, mov	MP4, QTFF	MPEG4 Divx 4.12, Divx 5.x, Divx 6, Xvid 1.00, Xvid 1.01, Xvid 1.02, Xvid 1.03, Xvid 1.10-beta1/2 H.264	AAC,HEAAC,MP3	1920x1080 @ 30P	20Mbit/sec	H264: Main Profile and High Profile @Level 4.0 MPEG4: Simple Profile and Advanced Simple Profile @Level 5	
mkv	Matroska	H.264, MPEG-1,2,4, Divx, Xvid,	MP2,MP3,AAC, HEAAC,LPCM	1920x1080 @ 30P	MPEG 1/2/4: 20Mbit/sec. H264: 25Mbit/sec	H264: Main Profile and High Profile @ Level 4.1 MPEG4: Simple Profile and Advanced Simple Profile @Level 5	
divx, avi	AVI(1.0, 2.0), DMFO,1,2	MPEG2, MPEG4 DivX 4.DivX 5, DivX 6, Xvid 1.00, Xvid 1.01, Xvid 1.02, Xvid 1.03, Xvid 1.10-beta1/2 H.264	MP2,MP3,LPCM,ADPCM,AAC,HEAAC	1920x1080 @ 30P	20Mbit/sec	MPEG2: Main Profile MPEG4: Simple Profile and Advanced Simple Profile @Level 5	
Motion JPEG(avi, mp4, mkv)	AVI, MP4, QTFF, Matroska	JPEG	LPCM, ADPCM	640x480 @ 30P	10Mbit/sec		
flv	flv	Sorenson H.263, H264	MP3, AAC	1920x1080 @ 30P	20Mbit/sec	Sorenson H.263 H264: Main Profile and High Profile @ Level 4.0	
3gp	3GP	MPEG4, Sorenson H.263		1920x1080 @ 30P	20Mbit/sec		
ts	ts	AVS		1920x1080 @ 30P	20Mbit/sec	AVS Jizhun profile @ Level 6.0	

# Spisak podržanih audio formata za SRT8526

Kompr. audio formata	Nastavak datoteke	Protok zapisa / učestalost sampliranja
MPEG1 Layer2	MP3	32Kbps ~ 448Kbps(Bit rate) 32KHz ~ 48KHz(Sampling rate)
MPEG1 Layer3	MP3	32Kbps ~ 320Kbps(Bit rate) 32KHz ~ 48KHz(Sampling rate)
OGG Vorbis	OGG	32Kbps ~ <192Kbps(Bit rate) 8KHz ~ 48KHz(Sampling rate)
AAC, HEAAC	M4A/AAC	24Kbps ~ 384Kbps(Bit rate) 8KHz ~ 48KHz(Sampling rate)
WMA	WMA/ASF	Bitrate: 128bps ~ 320Kbps Sampling Rate: 8KHz ~ 48KHz
WMA Pro	WMA/ASF	Bitrate: < 768kbps Sampling rate: ~ 96KHz
LPCM	N/A (work with video files only)	Bitrate: 64Kbps ~ 1.5Mbps Sampling Rate: 8KHz ~ 48KHz
IMA-ADPCM/MS-ADPCM	N/A (work with video files only)	Bitrate: 384Kbps Sampling Rate: 8KHz ~ 48KHz
LBR	N/A (work with video files only)	Bitrate: 6Kbps ~ 96Kbps Sampling Rate: 8KHz ~ 48KHz

# Spisak podržanih foto formata za SRT8526

Photo Codec	Nastavak datoteke	Maksimalna rezolucija
JPG	JPG, JPEG, JPE	Base line: 15360x8640 Progressive: 1024x768
BMP	BMP	9600x6400
PNG	PNG	9600x6400